

Assistant Chief Paul Finlay
Missoula Rural Fire District
2521 South Avenue West
Missoula MT. 59804

Dear Asst. Chief Finlay

June 30th 2020

Thank You for the opportunity to evaluate engine 341 there in Missoula. We were quite impressed with the station and quality of care provided to unit 341.

Superior Rural Fire (and Town of Superior) responds to 110 calls per year (no EMS) and covers 24 miles of Interstate 90. The unit we would like to replace is a 1980 Seagrave structure truck, owned by the Rural District, serving as the second in unit to structure calls. It is quite difficult to get grant funding for a second in unit so any replacement will likely have to be accomplished thru a cash purchase. The Superior Rural district responds to mutual aid with Frenchtown and we have already worked with Missoula Rural on one Frenchtown Wildland call and one Superior Haz Mat call within the last year.

Our offer is \$30,000 for the purchase of the engine, when it becomes available. Rural funds to accomplish the purchase of unit 341 are very limited within the District and any help you

can provide by making this unit affordable are of direct benefit to the District. Please pass this offer up to the Rural Board if appropriate.

A handwritten signature in black ink, appearing to read "Steve Temple". The signature is fluid and cursive, with the first name "Steve" being more prominent than the last name "Temple".

Steve Temple, Superior Fire Chief

406-822-4900



Polson RURAL Fire District

25B Regatta Rd. Polson, MT 59860
(406) 883-4244



TO: Operations Chief Paul Finlay

RE: Surplus apparatus

The Polson Rural Fire District is interested in acquiring E-312 which as I knew it was a 1995 international 4900 VIN # 1HTSDAANOSH201322 depending on the purchase price which the district is willing to offer 15,000.00 dollars at this time. We may also have enough capital to purchase the unit outright or make arrangements for and acceptable payment schedule. There is also some interest on our part in the possibility of procuring T-328 for fire district use. Please advise any further information on either of these units. And thanks for your consideration in this matter.

Gordon R Gieser
Chief Polson Rural fire district
ruralchief@outlook.com
Cellular (406)546-4392



FIRE-RESCUE

MISSOULA RURAL FIRE DISTRICT

MISSOULA RURAL FIRE DISTRICT

2521 South Avenue West • Missoula, Montana 59804

(406) 549-6172 • FAX (406) 549-6023

www.mrfdfire.org


8-12-2020

To: Fire Chief Newman
From: Assistant Chief Christopherson
Re: Annexation of the property located at 12494 Arena Dr.

Please find attached the signed MRFD Annexation Criteria Form (ACF), which was completed after the property was inspected at the above-referenced address. The property owner was contacted and has also received a copy of this criteria form for their records. We explained that once we received the signed copy to acknowledge their understanding and receipt of the ACF, we would then submit this petition of annexation to the MRFD Fire Board for their consideration.

After my review, it is my recommendation to the Board that the property located 12494 Arena Dr. be annexed into the Missoula Rural Fire District.

Sincerely,



Brent L. Christopherson, Assistant Chief/Fire Marshal
Missoula Rural Fire District

MRFD ANNEXATION CRITERIA FORM

Homeowner Name: Judith Crawford

Phone Number: 406-273-6232

Property Address: 12494 Arena Dr.

Email: jjcrawford7@gmail.com

Critical Fire Department Services

		Answers
1	Distance from Closest MRFD fire station.	7.6 miles to Station 5
2	Distance from closest mutual/auto aid partner.	16.2 miles to Florence Fire

Means of Access

3	Are there buildings more than 400 sf (ground floor area) and/or public occupancies with structural components?	Yes
4	Is there clear openings through gates at least 2-feet wider than the means of egress it controls?	Yes
5	Number of means of access.	1
6	* Can the fire department realistically access the property after a snow event or icy conditions?	Yes

Roadways/Fire Lanes

7	* Are roadways constructed of a hard, all-weather surface designed to support all imposed loads of MRFD apparatus?	Yes
8	Are the roadways a minimum clear width of 16 feet?	Yes
9	* Is there at least 13 ft 6 in nominal vertical clearance over the full width of the roadway?	Yes
10	Do the curves/turns in the roadway have a minimum radius of 60 ft to the outside of the turn?	Yes
11	* If a bridge(s) is present, is it designed for a live load sufficient to carry the imposed loads of fire apparatus?	Yes
12	Is the load limit clearly posted at the approaches to the bridge?	No
13	Has the vegetation adjacent to the roadway been mitigated?	Yes

Grades

14	Are there any road/driveway grades steeper than 10 percent?	No
----	---	----

Critical Dead Ends

Answers

15	Is there a dead end roadway more than 300 feet in length?	No
16	* If yes, is there an appropriate turn-around for fire apparatus?	N/A
17	Is there a dead end/cul-de-sac that exceeds 1200 feet in length?	No
18	* If yes, are there approved intermediate turn-arounds at a minimum of 1200 foot intervals?	N/A

Driveways

19	Is the driveway longer than 150 feet?	Yes
20	* If yes, is there an appropriate turn-around for fire apparatus?	Yes
21	Is the driveway a minimum of 12 feet in width and 13 ft 6 in. in vertical clearance?	Yes
22	If the driveway is longer than 300 feet, are there pullouts?	Yes

Signage/Premises Identification

23	* Are the road and address signs made of appropriate materials and properly located?	Yes
----	--	-----

Building Access

24	* Is there adequate fire apparatus access provided to within 150 feet of any point for the exterior wall of each building? (300 feet for a sprinklered building)	Yes
----	--	-----

Building Separation

25	Are the building separations greater than 30 feet?	Yes
----	--	-----

Automatic Fire Protection/Fire Warning Systems

26	Is the building(s) protected by an automatic sprinkler system in accordance with NFPA 13, 13R, or 13D	No
27	Does the building(s) have a local/supervised fire alarm system in accordance with NFPA 72?	No

Water Supply

28	Are there adequate hydrants? Distance?	No	6.6 miles to Stella Blue
29	Is there water storage that meets NFPA 1142 requirements? Distance?	No	4.6 miles to Nez Perce
30	If yes, are the connections appropriate for MRFD use?	N/A	



MISSOULA RURAL FIRE DISTRICT

2521 South Avenue West • Missoula, Montana 59804

(406) 549-6172 • FAX (406) 549-6023

www.mrfdfire.org

PETITION FOR ANNEXATION

We, the undersigned, being taxpaying freeholders and whose names appear upon the last completed assessment roll, do hereby petition the Board of County Commissioners to annex to the **Missoula Rural Fire District**, the following parcel:

5803857 12494 ARENA DR LOLO, MT 59847

Taxpayer ID: **Property Address:**

04-2091-34-3-04-03-0000

Geo Code:

Subdivision Name *(if applicable)*

S34, T12 N, R21 W, C.O.S. 1551, PARCEL E1

Legal Description *(Quarter, Section, Township, Range, Lot #, Block, COS #, etc.)*

Mountain West Farm Bureau
Name of Insurance Company – Property Insurance

728-6811
Insurance Phone Number

Judith Crawford
Contact Name for this Petition

273-6232
Contact's Phone Number

jjcrawford7@gmail.com
Contact's Email Address

Property Owner Signature(s)

Printed Name(s)

Mailing Address

Judith Crawford
(sign and date)

Judith J. Crawford

12494 Arena Dr
Lolo, MT 59847-9664

(sign and date)

(sign and date)

FOR OFFICE USE ONLY:

Annexation accepted and approved this _____ day of _____, 20____
by the Board of Trustees for the Missoula Rural Fire District.

Signature: _____

Title: _____



MISSOULA RURAL FIRE DISTRICT

2521 South Avenue West • Missoula, Montana 59804
(406) 549-6172 • FAX (406) 549-6023
www.mrfdfire.org

8-12-2020

To: Fire Chief Newman
From: Assistant Chief Christopherson
Re: Annexation of the property located at 12568 Arena Dr.

Please find attached the signed MRFD Annexation Criteria Form (ACF), which was completed after the property was inspected at the above-referenced address. The property owner was contacted and has also received a copy of this criteria form for their records. We explained that once we received the signed copy to acknowledge their understanding and receipt of the ACF, we would then submit this petition of annexation to the MRFD Fire Board for their consideration.

After my review, it is my recommendation to the Board that the property located 12568 Arena Dr. be annexed into the Missoula Rural Fire District.

Sincerely,

Brent L. Christopherson, Assistant Chief/Fire Marshal
Missoula Rural Fire District

MRFD ANNEXATION CRITERIA FORM

Homeowner Name: Kirk & Rondi Jo Cundall

Phone Number: 406-273-2584

Property Address: 12568 Arena Dr.

Email: kirk.cundall@gmail.com

<i>Critical</i>	<i>Fire Department Services</i>	<i>Answers</i>
1	Distance from Closest MRFD fire station.	7.8 miles to Station 5
2	Distance from closest mutual/auto aid partner.	16.4 miles to Florence Fire

Means of Access

3	Are there buildings more than 400 sf (ground floor area) and/or public occupancies with structural components?	Yes
4	Is there clear openings through gates at least 2-feet wider than the means of egress it controls?	Yes
5	Number of means of access.	2
6	* Can the fire department realistically access the property after a snow event or icy conditions?	Yes

Roadways/Fire Lanes

7	* Are roadways constructed of a hard, all-weather surface designed to support all imposed loads of MRFD apparatus?	Yes
8	Are the roadways a minimum clear width of 16 feet?	Yes
9	* Is there at least 13 ft 6 in nominal vertical clearance over the full width of the roadway?	Yes
10	Do the curves/turns in the roadway have a minimum radius of 60 ft to the outside of the turn?	Yes
11	* If a bridge(s) is present, is it designed for a live load sufficient to carry the imposed loads of fire apparatus?	Yes
12	Is the load limit clearly posted at the approaches to the bridge?	No
13	Has the vegetation adjacent to the roadway been mitigated?	Yes

Grades

14	Are there any road/driveway grades steeper than 10 percent?	No
----	---	----

Critical	Dead Ends	Answers
15	Is there a dead end roadway more than 300 feet in length?	No
16	* If yes, is there an appropriate turn-around for fire apparatus?	N/A
17	Is there a dead end/cul-de-sac that exceeds 1200 feet in length?	No
18	* If yes, are there approved intermediate turn-arounds at a minimum of 1200 foot intervals?	N/A

Driveways		
19	Is the driveway longer than 150 feet?	Yes
20	* If yes, is there an appropriate turn-around for fire apparatus?	Yes
21	Is the driveway a minimum of 12 feet in width and 13 ft 6 in. in vertical clearance?	Yes
22	If the driveway is longer than 300 feet, are there pullouts?	Yes

Signage/Premises Identification		
23	* Are the road and address signs made of appropriate materials and properly located?	Yes

Building Access		
24	* Is there adequate fire apparatus access provided to within 150 feet of any point for the exterior wall of each building? (300 feet for a sprinklered building)	Yes

Building Separation		
25	Are the building separations greater than 30 feet?	Yes

Automatic Fire Protection/Fire Warning Systems		
26	Is the building(s) protected by an automatic sprinkler system in accordance with NFPA 13, 13R, or 13D	No
27	Does the building(s) have a local/supervised fire alarm system in accordance with NFPA 72?	No

Water Supply		
28	Are there adequate hydrants? Distance?	No 6.8 miles to Stella Blue
29	Is there water storage that meets NFPA 1142 requirements? Distance?	No 4.8 miles to Nez Perce
30	If yes, are the connections appropriate for MRFD use?	N/A



MISSOULA RURAL FIRE DISTRICT

2521 South Avenue West • Missoula, Montana 59804
(406) 549-6172 • FAX (406) 549-6023
www.mrfdfire.org

PETITION FOR ANNEXATION

We, the undersigned, being taxpaying freeholders and whose names appear upon the last completed assessment roll, do hereby petition the Board of County Commissioners to annex to the **Missoula Rural Fire District**, the following parcel:

1773451 12568 ARENA DR LOLO, MT 59847

Taxpayer ID: **Property Address:**
04-2091-34-3-04-02-0000

Geo Code: **Subdivision Name (if applicable)**
S34, T12 N, R21 W, C.O.S. 1521, PARCEL A & B, IN E2 E2 SE4 SW4

Legal Description (*Quarter, Section, Township, Range, Lot #, Block, COS #, etc.*)

MOUNTAIN WEST FARM BUREAU 406/728-6811
Name of Insurance Company – Property Insurance **Insurance Phone Number**

KIRK CUNDALL 406/273-2584 kirk.cundall@gmail.com
Contact Name for this Petition **Contact's Phone Number** **Contact's Email Address**

Property Owner Signature(s) **Printed Name(s)** **Mailing Address**
Kirk A. Cundall 8/6/20 Kirk A. Cundall 16195 Lolo Creek Rd 12568 Arena Dr.
(sign and date) _____ Lolo, MT 59847-9494

Rondi Jo. Cundall 8/6/20 Rondi Jo. Cundall _____
(sign and date) _____ _____

(sign and date)

FOR OFFICE USE ONLY:

Annexation accepted and approved this _____ day of _____, 20____
by the Board of Trustees for the Missoula Rural Fire District.

Signature: _____

Title: _____

FIRE-RESCUE

MISSOULA RURAL FIRE DISTRICT

MISSOULA RURAL FIRE DISTRICT

2521 South Avenue West • Missoula, Montana 59804

(406) 549-6172 • FAX (406) 549-6023

www.mrfdfire.org

8-11-2020

To: Fire Chief Newman
From: Assistant Chief Christopherson
Re: Annexation of the property located at 13355 Wildrose Ct.

Please find attached the signed MRFD Annexation Criteria Form (ACF), which was completed after the property was inspected at the above-referenced address. The property owner was contacted and has also received a copy of this criteria form for their records. We explained that once we received the signed copy to acknowledge their understanding and receipt of the ACF, we would then submit this petition of annexation to the MRFD Fire Board for their consideration.

After my review, it is my recommendation to the Board that the property located 13355 Wildrose Ct. be annexed into the Missoula Rural Fire District.

Sincerely,



Brent L. Christopherson, Assistant Chief/Fire Marshal
Missoula Rural Fire District

MRFD ANNEXATION CRITERIA FORM

Homeowner Name: Berthold & Jessica Regar

Phone Number: 406-370-3436

Property Address: 13355 Wildrose Ct.

Email: tsfsinc@aol.com

Critical Fire Department Services

	Questions	Answers
1	Distance from Closest MRFD fire station.	0.9 miles to Station 5
2	Distance from closest mutual/auto aid partner.	8.2 miles to Florence Fire

Means of Access

3	Are there buildings more than 400 sf (ground floor area) and/or public occupancies with structural components?	Yes
4	Is there clear openings through gates at least 2-feet wider than the means of egress it controls?	N/A
5	Number of means of access.	1
6	Can the fire department realistically access the property after a snow event or icy conditions?	Yes

Roadways/Fire Lanes

7	* Are roadways constructed of a hard, all-weather surface designed to support all imposed loads of MRFD apparatus?	Yes
8	Are the roadways a minimum clear width of 16 feet?	Yes
9	* Is there at least 13 ft 6 in nominal vertical clearance over the full width of the roadway?	Yes
10	Do the curves/turns in the roadway have a minimum radius of 60 ft to the outside of the turn?	Yes
11	* If a bridge(s) is present, is it designed for a live load sufficient to carry the imposed loads of fire apparatus?	N/A
12	Is the load limit clearly posted at the approaches to the bridge?	N/A
13	Has the vegetation adjacent to the roadway been mitigated?	Yes

Grades

14	Are there any road/driveway grades steeper than 10 percent?	No
----	---	----

Critical	Dead Ends	Answers
15	Is there a dead end roadway more than 300 feet in length?	No
16	* If yes, is there an appropriate turn-around for fire apparatus?	N/A
17	Is there a dead end/cul-de-sac that exceeds 1200 feet in length?	No
18	* If yes, are there approved intermediate turn-arounds at a minimum of 1200 foot intervals?	N/A

Driveways		
19	Is the driveway longer than 150 feet?	No
20	* If yes, is there an appropriate turn-around for fire apparatus?	N/A
21	Is the driveway a minimum of 12 feet in width and 13 ft 6 in. in vertical clearance?	Yes
22	If the driveway is longer than 300 feet, are there pullouts?	No

Signage/Premises Identification		
23	Are the road and address signs made of appropriate materials and properly located?	Yes

Building Access		
24	* Is there adequate fire apparatus access provided to within 150 feet of any point for the exterior wall of each building? (300 feet for a sprinklered building)	Yes

Building Separation		
25	Are the building separations greater than 30 feet?	Yes

Automatic Fire Protection/Fire Warning Systems		
26	Is the building(s) protected by an automatic sprinkler system in accordance with NFPA 13, 13R, or 13D	No
27	Does the building(s) have a local/supervised fire alarm system in accordance with NFPA 72?	No

Water Supply		
28	Are there adequate hydrants? Distance?	Yes 150 feet
29	Is there water storage that meets NFPA 1142 requirements? Distance?	No
30	If yes, are the connections appropriate for MRFD use?	No



Critical Building Construction **Answers**

31	Non-combustible roof?	No
32	Soffits enclosed?	Yes
33	Soffit, attic, and crawl space vents screened?	Yes
34	Non-combustible siding?	No
35	Double pane windows?	Yes
36	Are decks non-combustible of fire resistant?	No

Vegetation Clearance From Structures

37	* 0-30 feet, Defensible Space Zone-Is all flammable vegetation and combustible growth clear of this area?	Yes
38	30-100 feet, Reduced Fuel Zone-Is a fuel break provided by the disruption of the vertical and/or horizontal continuity of flammable/combustible vegetation?	Yes
39	Is there a potential difference in the wildfire vs structure response capability? (Explain in comments)	Yes

Number **Comments**

Homeowner:  **Date:** 7/12/2020
Fire Marshal:  **Date:** 7/2/2020
Fire District Chief: _____ **Date:** _____
Board of Trustees Chairperson: _____ **Date:** _____



MISSOULA RURAL FIRE DISTRICT

2521 South Avenue West • Missoula, Montana 59804
(406) 549-6172 • FAX (406) 549-6023
www.mrfdfire.org

PETITION FOR ANNEXATION

We, the undersigned, being taxpaying freeholders and whose names appear upon the last completed assessment roll, do hereby petition the Board of County Commissioners to annex to the Missoula Rural Fire District, the following parcel:

5858650 13355 WILDROSE CT LOLO, MT 59847

Taxpayer ID: **Property Address:**
04-1975-02-3-01-13-0000 BITTERROOT MEADOWS

Geo Code: **Subdivision Name (if applicable)**
BITTERROOT MEADOWS, S02, T11 N, R20 W, Lot 013

Legal Description (Quarter, Section, Township, Range, Lot #, Block, COS #, etc.)
Travelers

Name of Insurance Company – Property Insurance		Insurance Phone Number
<u>Bert Regar</u>	<u>406-370-3936</u>	<u>tsfsinc@aol.com</u>
Contact Name for this Petition	Contact's Phone Number	Contact's Email Address

<u>Property Owner Signature(s)</u>	<u>Printed Name(s)</u>	<u>Mailing Address</u>
<u>Berthold P. Regar</u> <i>(sign and date)</i>	<u>Berthold P. Regar</u>	<u>13355 Wild Rose Ct. Lolo, MT 59847-9623</u>
_____	_____	_____
<i>(sign and date)</i>		
_____	_____	_____
<i>(sign and date)</i>		

FOR OFFICE USE ONLY:

Annexation accepted and approved this _____ day of _____, 20____
by the Board of Trustees for the Missoula Rural Fire District.

Signature: _____

Title: _____